

AN 129:98681 HCA
TI **Aluminum alloy pipes for aerial ground cables**
utilizing optical fibers
IN Ikeda, Takeshi
PA Mitsubishi Cable Industries, Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 5 pp.
CODEN: JKXXAF
DT Patent
LA Japanese
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 10152744	A2	19980609	JP 1996-310815	19961121
AB	The pipes contain Mg 0.05-2.5, Si 0.1-1.0, Fe 0.1-1.0%, and optionally 0.05-3% Mn or 0.005-0.5% Cu . Al alloy pipes contg. Mn 0.05-3, Cu 0.005-0.5, Si 0.1-1.0, and Fe 0.1-1.0% and those contg. Mn 0.05-2.5, Cu 0.005-0.5, Mg 0.05-3, Si 0.1-1.0, and Fe 0.1-1.0% are also claimed. The pipes have excellent pit corrosion resistance.				